



Application Story

Test and Measurement

Concrete material testing using Digital Probes







The Product

The standard DP range of Digital Spring Push Probes has justifiably become the work horse of the gauging industry. Very high resolution, excellent linearity and high data speed come as standard. Long life precision bearings, and an IP65 rating ensure that probes maintain their performance for millions of cycles.



Range: Accuracy:

2 to 20 mm Up to 0.05% of

reading

Resolution: Up to $0.01~\mu m$ Repeatability: Up to $0.15~\mu m$

The Challenge

Testing fixtures supplied for building materials, such as the manufacture of concrete, are important to ensure of the correct properties of the material and to understand its capabilities.

Companies needing to measure the bending of hardened concrete face a problem of finding probes which are resilient enough to withstand the strain of the application.

The Solution

The concrete testing fixture consists of a drain into which the liquid concrete is filled. A Solartron DP 5 S positioned at one end of the drain will measure any extension or bending of the concrete once it hardens.

The drain is capable of heating the concrete to simulate floor heating. Through an Ethernet interface the user can access a built-in webserver and visualize measured data in a Java applet or download the collected readings.



United Kingdom - Head Office

Solartron Metrology Steyning Way Bognor Regis West Sussex PO22 9ST Tel: +44 (0) 1243 833333 Fax: +44 (0) 1243 833322 Sales.solartronmetrology@ametek.com

France

Solartron Metrology Rond-point de l'Espine des Champs Buroplus - Bat. D Elancourt 78990 Tel: +33 (0)1 30 68 89 50 Fax: +33 (0)1 30 68 89 59 france.solartronmetrology@ametek.com

Germany

Ametek GmbH Solartron Metrology Division Rudolf-Diesel-Strasse 16 40670 Meerbusch Tel: +49 (0) 2159 9136 500 Fax: +49 (0) 2159 9136 505 vertrieb.solartron@ametek.de



India

Ametek Instruments India Private Limited 1st Floor, Left Wing Prestige Featherlite Tech Park Plot #148, EPIP II Phase Whitefield, Bengaluru 560 066 Karnataka, India Tei: +91 80 6782 3200 Fax: +91 80 6782 3232

USA

Solartron Metrology USA Central Sales Office 915 N.New Hope Road, Suite C Gastonia, NC 28054 Tel: +1800 873 5838 Fax: +1704 868 8466 usasales.solartronmetrology@ametek.com

China

AMETEK Commercial Enterprise (Shanghai) Co. Ltd No. 155 Puhui Road Ju Ting Economic Development Zone Shanghai 200131 Tel: +86 21 5763 2509 Fax: +86 21 5866 0969 Ext. 261/262 china.solartronmetrology@ametek.com



Precision Driven

Offices worldwide Agent and distributor details available at www.solartronmetrology.com





Q09540

Solartron pursues a policy of continuous development. Specifications in this document may therefore be changed without notice.

Datasheet 52624 Issue 61 EDCR20423